

A計画 壹番館

No. 12

	出隅	柱型打放補修	梁型打放補修	壁打放補修	柱型打放補修	梁型打放補修	壁打放補修	手摺ボーダー	手摺ボーダー	揚裏打放補修	サッシダキ	サッシ枠詰	掃き出し	面台	排水溝
		タイル下	タイル下	タイル下	吹付下	吹付下	吹付下	上端吹付下 糸 = 260	下端吹付下 糸 = 225	吹付下	タイル下	付底タイル下	[付底天端	タイル下	糸 = 260
	[誘発目地]	[化粧付柱 タイル下]		[壁厚付装 飾仕上塗]					[鼻先吹付 下	[揚裏厚付 装飾仕上塗	[吹付下]	糸 = 245	補修D = 245	[吹付下]	[枠刷毛引]
8F	1.2*(0.4+2.0+58.3-1.3*4)			66.6											
9F	1.2*(0.4+2.0+52.1-1.3*4)			59.2											
10~14F	1.2*(1.2+42.6+1.2-1.3*4)*5			238.8											
手摺壁吹付下															
2F	1.05*(1.2+71.2)						76.0								
3F	1.05*(0.4+2.0+71.2)						77.3								
4, 5F	1.05*71.2*2						149.5								
6F	1.05*(1.0+66.4)						70.8								
7F	1.05*(1.0+60.0)						64.1								
8F	1.05*(0.4+2.0+58.3)						63.7								
9F	1.05*(0.4+2.0+52.1)						57.2								
10~14F	1.05*(1.2*2+42.6)*5						236.3								
手摺ボーダー上端 (糸 = 80+20+20+120+20 = 260)															
2F	1.2+71.2-1.3*12							56.8							
3F	0.4+2.0+71.2-1.3*12							58.0							
4F	71.2-1.3*12							55.6							
5F	71.2-1.3*4							66.0							
6F	1.0+66.4-1.3*4							62.2							
7F	1.0+60.0-1.3*4							55.8							
8F	0.4+2.0+58.3-1.3*4							55.5							
9F	0.4+2.0+52.1-1.3*4							49.3							
10~14F	(1.2+42.6+1.2-1.3*4)*5							199.0							
手摺ボーダー下端 (糸 = 75 + 20+20+50+20+20+20 = 225)															
2F	56.8-5.7								51.1						
3F	(上端ボーダーと同じ)								58.0						
4F	(上端ボーダーと同じ)								55.6						
5F	(上端ボーダーと同じ)								66.0						
6F	62.2+3.79+1.0								67.0						

A計画 壹番館

No. 13

	出隅	柱型打放補修	梁型打放補修	壁打放補修	柱型打放補修	梁型打放補修	壁打放補修	手摺ポーター	手摺ポーター	揚裏打放補修	サッシダキ	サッシ枠詰	掃き出し	面台	排水溝
		タイル下	タイル下	タイル下	吹付下	吹付下	吹付下	上端吹付下 糸 = 260	下端吹付下 糸 = 225	吹付下	タイル下	付底タイル下	[付底天端	タイル下	糸 = 260
	[誘発目地]	[化粧付柱 タイル下]		[壁厚付装 飾仕上塗]					[鼻先吹付 下	[揚裏厚付 装飾仕上塗	[吹付下]	糸 = 245	補修D = 245	[吹付下]	[枠刷毛引]
7F 55.8+0.64+2.8+2.8									62.0						
8F 55.5+1.65									57.2						
9F 49.3+5.2+1.0									55.5						
10F 42.6+1.2*2-1.3*4+0.55+6.4+1.0									47.8						
11 ~ 13F (42.6+1.2*2-1.3*4)*3									119.4						
14F (42.6+1.2*2-1.3*4)*2									79.6						
壁タイル下 (忘れ)															
6F 0.67*4.79				3.2											
7F 0.67*6.24				4.2											
8F 0.67*1.65				1.1											
9F (5.2+6.2)*0.67*0.5				3.8											
10F (6.95+7.95)*0.67*0.5				5.0											
出隅															
1F	263.0	2.85*26+3.1*20+2.85*20+49.4+2.05*10													
2F	233.7	2.75*23+1.6+3.0*24+1.6*24+56.0+1.2*2													
3F	236.0	2.75*24+3.0*24+1.6*24+56.0+1.2*3													
4F	75.3	1.15*24+1.86*8+1.6*8+1.47*12+1.2*2													
5, 6F	78.4	(3.0*8+1.6*8+1.2*2)*2													
7F	38.5	2.96*8+1.55*8+1.2*2													
8F	46.6	2.7*2+1.55+2.96*8+1.55*8+1.2*3													
9F	52.0	2.7*4+1.55+2.96*8+1.55*8+1.2*3													
10F	49.8	2.96*2+2.7*2+2.96*8+1.55*8+1.2*2													
11F	48.8	2.91*2+2.65*2+2.91*8+1.5*8+1.2*2													
12F	62.2	2.86*2+2.6*2+2.6*8+1.45*8+0.26*6*4+0.26*2*4+1.2*2+1.67*4+0.37*4													
13F	125.6	2.86*2+2.6*2+2.86*32+1.45*16													
14F	147.5	2.86*2+2.6*2+0.67*4+3.46*32+1.45*16													
揚裏															
1F 1.25*63.2										79.0					

A計画 壱番館

No. 14

	出隅	柱型打放補修	梁型打放補修	壁打放補修	柱型打放補修	梁型打放補修	壁打放補修	手摺ボーダー	手摺ボーダー	揚裏打放補修	サッシダキ	サッシ枠詰	掃き出し	面台	排水溝
		タイル下	タイル下	タイル下	吹付下	吹付下	吹付下	上端吹付下 糸 = 260	下端吹付下 糸 = 225	吹付下	タイル下	付底タイル下	[付底天端	タイル下	糸 = 260
	[誘発目地]	[化粧付柱 タイル下]		[壁厚付装 飾仕上塗]					[鼻先吹付 下	[揚裏厚付 装飾仕上塗	[吹付下]	糸 = 245	補修D = 245]	[吹付下]	[枠刷毛引]
2, 3F (1.25*71.2)*2										178.0					
4, 5F (1.35*71.2)*2										192.2					
6F 1.35*64.1+1.75*2.3										90.6					
7F 1.35*57.9+1.75*2.2										82.0					
8F 1.35*58.3+0.8*0.4										79.0					
9F 1.35*52.1+0.8*0.4										70.7					
10 ~ 14F (1.35*42.6)*5										287.6					
誘発目地 (@ = 3000での概算)															
1F	[27.5]	1.25*22													
2, 3F	[117.6]	(1.25*24+1.2*24)*2													
4, 5F	[122.4]	(1.35*24+1.2*24)*2													
6F	[37.1]	(1.35+1.2)*22+2.95													
7F	[34.0]	1.55*20+2.95													
8F	[31.0]	1.55*20													
9F	[27.9]	1.55*18													
10 ~ 14F	[116.3]	1.55*15*5													
排水溝 (糸 = H160+W100 = 260)															
(2 ~ 5F)71.2*4+(6F)66.4+(7F)60.0+(8F)58.3+(9F)52.1+(10 ~ 14F)42.6*5+(3F)2.0+(10F)1.2+(11F)2.4+(12F)2.4+(13F)2.4+(14F)2.4															747.4
	W	H													
1F AW-49 (3)	0.41	1.81		2.2							12.1	13.3		1.2	
SD-8 (1)	0.80	2.00		1.6							4.8	4.8	0.8		[4.8]
AW-40 (1)	4.65	2.06		9.6							8.8	8.8	4.7		
AW-41 (1)	4.45	2.06		9.2							8.6	8.6	4.5		
AW-42 (1)	4.24	2.06		8.7							8.4	8.4	4.2		
AW-43 (1)	4.65	2.06		9.6							8.8	8.8	4.7		
AG-1 (5)	1.125	1.95		11.0							24.8	24.8	5.6		[24.8]
駐輪場出入口 2.05*(1.6*2+1.8+1.9+2.1)															
2F AW-46 (1)	3.14	1.00		3.1							5.1	8.3		3.1	

A計画 壹番館

No. 15

	出隅	柱型打放補修	梁型打放補修	壁打放補修	柱型打放補修	梁型打放補修	壁打放補修	手摺ポーター	手摺ポーター	揚裏打放補修	サッシダキ	サッシ枠詰	掃き出し	面台	排水溝
		タイル下	タイル下	タイル下	吹付下	吹付下	吹付下	上端吹付下 糸 = 260	下端吹付下 糸 = 225	吹付下	タイル下	付底タイル下	[付底天端	タイル下	糸 = 260
	[誘発目地]	[化粧付柱 タイル下]		[壁厚付装 飾仕上塗]					[鼻先吹付 下	[揚裏厚付 装飾仕上塗	[吹付下]	糸 = 245]	補修D = 245]	[吹付下]	[枠刷毛引]
SD-17 (1)	0.80	2.00		1.6							4.8	4.8	0.8		[4.8]
AW-8 (1)	1.525	1.88		2.9							5.3	5.3	1.5		
AW-4 (4)	1.975	1.88		14.9							22.9	22.9	7.9		
AW-7 (5)	1.575	1.88		14.8							26.7	26.7	7.9		
AW-7A (1)	1.575	1.88		3.0							5.3	5.3	1.6		
AW-2 (1)	2.475	1.88		4.7							6.2	6.2	2.5		
AW-2A (1)	2.475	1.88		4.7							6.2	6.2	2.5		
AW-11 (2)	0.575	1.88		2.2							8.7	8.7	1.2		
AW-3 (1)	2.375	1.88		4.5							6.1	6.1	2.4		
AW-9 (1)	1.425	1.88		2.7							5.2	5.2	1.4		
AW-5 (3)	1.875	1.88		10.6							16.9	16.9	5.6		
3F AW-7 (6)	1.575	1.88		17.8							32.0	32.0	9.5		
AW-7A (1)	1.575	1.88		3.0							5.3	5.3	1.6		
AW-3 (2)	2.375	1.88		8.9							12.3	12.3	4.8		
AW-8 (1)	1.525	1.88		2.9							5.3	5.3	1.5		
AW-4 (4)	1.975	1.88		14.9							22.9	22.9	7.9		
AW-2 (1)	2.475	1.88		4.7							6.2	6.2	2.5		
AW-2A (1)	2.475	1.88		4.7							6.2	6.2	2.5		
AW-11 (2)	0.575	1.88		2.2							8.7	8.7	1.2		
AW-9 (1)	1.425	1.88		2.7							5.2	5.2	1.4		
AW-5 (3)	1.875	1.88		10.6							16.9	16.9	5.6		
4 ~ 14F															
AW-7,7A (64)	1.575	1.88	4F(7)5F(7)6F(7)7F(7)8F(6)9F(5)10F(5)11F(5) 12F(5)13F(5)14F(5)				189.5				[341.4]	341.4	100.8		
AW-3 (13)	2.375	1.88	4F(2)5F(2)6F(1)7F(1)8F(1)9F(1)10F(1)11F(1) 12F(1)13F(1)14F(1)				58.0				[79.8]	79.8	30.9		
AW-8 (2)	1.525	1.88	4F(1)5F(1)				5.7				[10.6]	10.6	3.1		
AW-4 (29)	1.975	1.88	4F(4)5F(4)6F(3)7F(3)8F(3)9F(2)10F(2)11F(2) 12F(2)13F(2)14F(2)				107.7				[166.3]	166.3	57.3		
AW-2,2A (17)	2.475	1.88	4F(2)5F(2)6F(2)7F(2)8F(2)9F(2)10F(1)11F(1) 12F(1)13F(1)14F(1)				79.1				[106.0]	106.0	42.1		
AW-11 (17)	0.575	1.88	4F(2)5F(2)6F(2)7F(2)8F(2)9F(2)10F(1)11F(1) 12F(1)13F(1)14F(1)				18.4				[73.7]	73.7	9.8		

